


**A RANDOMIZED, CONTROLLED STUDY TO EVALUATE THE SHORT TERM EXPOSURE
TO SMOKE CONSTITUENTS OF AN ELECTRICALLY HEATED CIGARETTE SMOKING
SYSTEM WITH MENTHOL IN ADULT SMOKERS DURING CONTROLLED SMOKING**

Philip Morris USA Project No. EHCJLI/03/02
PAREXEL Project No. PHMOR-51299
MDS Pharma Services Project No. AA01190
MDS Pharma Services Protocol No. 466-05

Sponsor:

Philip Morris USA
P.O. Box 26583
Richmond, Virginia 23261-6583

Hans-Juergen Roethig, MD, PhD, FCP, FFPM
Director Clinical Evaluation
Worldwide Scientific Affairs
Philip Morris USA Research Center
615 Maury Street
Richmond, VA 23224
Phone: (804) 274-3165
Cellular: (804) 687-1655
FAX: (804) 274-2891


(Signature)

8/5/02
(Date)

Research Study Site:

PAREXEL International
Baltimore Clinical Pharmacology Research Unit
Harbor Hospital Center, 7th Floor
3001 South Hanover Street
Baltimore, MD 21225
Phone: 410-350-7979
Fax: 410-354-4281

Principal Investigator:

Thomas C. Stock, D.O.
PAREXEL International
Baltimore Clinical Pharmacology Research Unit
Harbor Hospital Center, 7th Floor
3001 South Hanover Street
Baltimore, MD 21225
Phone: 410-350-7979
Fax: 410-354-4281

(Signature)

(Date)

Date: 5 August, 2002

*****FINAL PROTOCOL*****

PM3006787716